AWR DE Home Improvements



Garage Door Catalogue





SECURITY LEVEL 1
Tested to PREN1630 Level 1
ECONOMY
Roller Garage Doors
MADE IN BRITAIN

Economy Roller Doors

Insulated roller garage doors

Why a roller door - Features & Benefits

Deciding on our system can save you a lot of space inside your garage. Available in economy or deluxe profiles, our roller doors will match any security and space requirements.





Economy Features

Remote

Two 'Hold to Run' remotes supplied as standard. For Impulse close a door monitor is required.

Space Saving

Gain extra strong space inside your garage and in many cases extra drive through space.

Insulated and strong

Profiles have a high density foam filling inside a wall of aluminium creating greater strength and insulation. Ideal for internal garages.


Headroom


Roller door can be fitted internally or externally face fixed or in between the aperture.
*Full box required for external fitting.

Made of Aluminium

Our classic roller doors are made of aluminium. Unlike steel will not rust and looks much more attractive.

Headroom	300
Sideroom	100/70






Function Spring
This reduces the work load on the motor, gives smoother door operation, and provides a built in anti drop device.

Nine Standard Finishes
Our standard paint finishes includes: White, Brown, Jet Black, Steel Blue, Anthracite Grey, Carmine Red, Light Ivory, Fir Green and Golden Oak.





Secured with Autolocks
The classic roller door has built in autolocks. When the door is closed a spring clamp device holds the door down tight.

Door monitor system
Gives you all round safety. Compare this with a safety edge which protects only the leading edge of the door.

Optional Extras

Full Box
Finishes the roller shutter off nicely. The full box is required for external fitting.

Half Box
The 90 degree half box can create a fascia for garages with limited headroom.

Two Channel Handset

Hood Lock
A lockable cover for externally fitted roller doors to secure override.

Door Monitor System
Gives you all round safety. Compare this with a 'Safety Edge' which protects only the leading edge of the door.

Through Wall Drive
To be used in the event of power failure, a lockable through wall drive, for garages with no other entrance.

Alarm
In Conjunction with the DMS the alarm will sound when an attempt is made to manually lift the roller door.

Laminated Finish
Our laminated finish is longer lasting than a powercoated finish and looks fantastic too.

Colour Options
The Roller door MAXI impressive 20mm thick curtain acts as a colour matching laminated guides or powercoated box covers barrier.

NOTES

Choice of Laminate Finish

All our laminated colours are covered with a ten year warranty.

Please ask for colour samples.

Colours are a representation only. Please ask to see our actual samples. Our doors are virtually maintenance free. However, to maintain the CE certification an annual low cost service is needed. WE RESERVE THE RIGHT TO MAKE CHANGES TO OUR PRODUCTS WITHOUT


SECURITY TESTED
DELUX
Roller Garage Doors
15 YEARS
COLOURFAST
WARRANTY

Choose
Roller

Why a roller door ?

- Space Saving
- Made to Measure
- Aesthetically Pleasing
- Secure
- Insulated
- Reduction in sound
- Verticle opening for shorter driveways



15 YEARS
COLOURFAST
WARRANTY



Delux
Doors

Key to Features
for further details see next page



1. Laminated Finish
2. Tube Motor
3. Door Monitor System
4. Colour Options
5. Three Function Spring System
6. Remotely Operated
7. Autolocks
8. Insulated Curtain
9. Internal Manual Override
10. Reinforced Perimeter
11. Courtesy Light
12. Reinforced Endplated
13. Full Box
14. Through Wall Drive
15. Hood Lock
16. Four Channel Handset
17. Keypad
18. Alarm

4 Our standard paint finishes include: White, Brown, Jet Black , Steel Blue, Anthracite Grey



Carmine Red, Light Ivory, Fir Green, Golden Oak


DE



1

Laminated Finish


Around 100 laminated colours to choose from, Longer lastingthan a standard paint finish and comes with a 10 year warranty.



2

Tube Motor

Powered by high quality tube motor with an internal manual release and a 7 YEAR WARRANTY.



5

3 Function Spring System


This reduces the work load on the motor, gives a smoother operation, and provides a built in anti drop device.



6

Remotely Operated

As standard our roller doors are supplied with two handsets remotes for wireless operation .



9

Internal Manual Override

In the event of a power cut, our internal manual override allows the door to be wound up and down via crank handle and eyelet. This can be upgraded to a permanently fixed knuckle system which is ideal for tight spaces. Our spring assisted system (5) makes this easier to use.



10

Extruded Top & Bottom rail

The aluminium extruded top and bottom rails are manufactured with a double wall profile. Add this to the heavy duty guide to give the door a rigid, stronger perimeter.



3

Door Monitor System

Unlike a standard safety edge this motion detection device offers full protection, beneath and against the door. Backed by a 5 YEAR WARRANTY as standard.



4

Colour Options

With nine standard paint colours and 100 superior lamianted finishes to choose from we have the biggest range to suit your needs. Colour matching the box and guides is also available.



7

Autolocks 7

The built in Autolocks are designed to hold the door tight with a spring clamp device. Each one is tested to withstand 30kg of upward pressure and last a cycle of 10,000 operations.



8

Insulated Curtain


Our Roller Door is thermally insulated to help with garage warmth. The 20mm thick insulated curtain is ideal for integral garages or garages with bedrooms above.



11

Courtesy Light

Every roller door control panel comes with a built in courtesy light to give added light during door operation.



12

Reinforced Endplated

The end plates, which carry the weight of the door, are made from die cast aluminium with steel reinforcement brackets for a more secure fixing for added security and reduced installation time.



13

Full Box

An aluminium box made up from a 90 and 45 degree profile to create a fascia when headroom is limited and a neat finish inside the garage. A full box is required for external fitting. Full Box Fascia Strengtheners are optional for greater rigidity.



14

Through Wall Drive

For all garages with no other entrance a Through-Wall-Drive is to be fitted as an external manual release, in the event of power failure.

Secured with anti theft screws. An internal gearbox ensures easy operation.



15

4 Channel Handset

Two and four channel handsets can be supplied to operate up to four doors using one handset (two channel handset is supplied as standard).



16

Keypad


Add the keypad for access to your garage without the need to carry hand transmitters.



17

Alarm

For added sercurity an Alarm can be fitted to sound when the door is being tampered with forcefully or manually lifted. The alarm will only work in conjunction with the Door Monitoring System (DMS).



18

Hood Lock

A lockable cover for externally fitted roller doors to ensure the manual release device.

15 YEARS COLOURFAST WARRANTY

On all our laminated colours

Benefits of laminated finish

The same finish can be applied to doors, windows and conservatories throughout.

Therefore our laminated finish really will enhance the appearance of your property.

There are many more advantages over standard paint finished roller doors.

Colourfast and Harder Wearing

The multi-layer finish absorbs UV radiation by more than 95% ensuring the colours and wood grains are protected from fading and adverse weather effects. The transparent outer layer protects the colour and is designed to withstand European climate variations giving a long-term stable finish backed by a 15 YEAR WARRANTY. Simply put, the visual appearance will be maintained and last longer than inferior paint finished roller doors.

Superior Thermal Insultation

The external foil coating creates a thermal break. Coupled with solar shield technology the profiles are kept much cooler - even with the darker colours. Paint finish doors can be problematic when expansion occurs through heat. Our laminated colours greatly reduce such problems.



NOTES



SECTIONAL

Garage Doors

A garage door with a personal signature

Beautiful homes often miss the finishing touch of an attractive, eye-catching garage door that is in complete harmony with your home. Practicality, reliability and durability cannot be overlooked though. Being secure, easy to operate and safe to use, a great garage door will add value to your property.

All Weather offer you the choice of an extensive range of doors manufactured from quality materials. Available in a variety of styles, surface textures and designs you can combine each element to your heart's content. Choose the colour of your garage door from an extensive list, thus neatly matching with the external appearance of your home.
Furthermore, thanks to the doors construction, you can use the volumetric space in your garage to its absolute optimum.

All Weather garage doors meet the most stringent European guidelines in the key areas of safety and durability and are able to with stand extremes in changeable weather conditions where temperatures can dramatically differ. Come rain or shine our doors will maintain their great looks.Installa-tions in diverse climates such as Norway and Spain only serve to reiterate our point.

For decades, All weather's doors have proved extremely reliable, retaining continued, consistant and assured operational access.

Using this brochure enables you to work with us in determining the specifications of your door. All Weather will be delighted to make an affordable and bespoke garage door that completely satisfies your individual needs.

Contents

A garage door with a personal signature

10 Year Royal Guarantee

Safety above everything

High-Line, elegant class

Wood-Line, from the best wood

Design-Line, architectural statment

Top-Line, ultimate creative freedom

Options and accessories

Guide rail systems, the silent strength

Technical data

10 Year Guarantee

It's extremely important that a great looking garage door also meets your expectations of longevity, durability and safety. Applying to construction, materials used and all of the parts - All Weather guarantee the highest quality.

Only high-quality and durable materials are used in the fabrication of our garage doors. They are inspected and certified by the foundation for facade element quality - SKG. Og course, our doors also conform to the European EN 13241-1 standard, which is obligattory for CE marking.

We manufacture every garage door professionally and to specification and it is thoroughly checked before delivery.

Therefore, we give a full 10 year manufacture's guarantee on the entire door. This includes the parts that can wear, such as torsion springs, lifting cables, hinges and rollers. The clear conditions that apply to this guarantee are available on request.

ROYAL GUARANTEE

Only the king of doors has a Royal Guarantee



TÜV Rheinland Nederland B.V.
P.O. Box 6235
5600 HE Eindhoven
The Netherlands
Notified Body 0336

TÜVRheinland®
Precisely Right.

Statement regarding Initial Type Test reports

Date: 31 January 2013

Tests in the frame work of CE declaration of conformity according to EN 13241-1, Industrial, commercial and garage doors and gates – Product standard – Part 1: Products without fire resistance or smoke control characteristics (For details is referred to the original test report).

The garage doors with types: R60, G100, G200 and the industrial door types: LS low system, NS normal system, HS high system, VS vertical system, in the configurations as mentioned in the reports, manufactured by ConDoor Group BV, have been tested according to European standard EN 13241-1. The test results and the content of this Summary exclusively relate to the tested samples.

Company
Name ConDoor Group BV
Address Handelsweg 31
City NL - 3899 AA ZEEWOLDE
Country The Netherlands

Production location
Name ConDoor Group BV
Address Handelsweg 31
City NL - 3899 AA ZEEWOLDE
Country The Netherlands

Product garage doors R60, G100, G200 industrial doors LS low system, NS normal system, HS high system, VS vertical system

Maximum mass 1.000 kg

Daylight maximum Width: 12.200 mm, Height: 10.000 mm (max. 80m²)


For further specifications and all report numbers and related test standards is referred to Annex 1 of this Statement.

Remark: This Summary of test report is not a certificate of CE compliance and/or shall not be confused with the Evaluation of Conformity Certificate as required for CE marking for products with fire resistance characteristics.

Signatures

T.R. Cruijff (Project leader)

H. van Ginkel (Manager)



SP

Handled by, department
Lars Andersson
Building Technology and Mechanics
+46 10 516 52 29, lars.andersson@sp.se

Date 2009-03-26

Reference

Page 1 (1)

To Whom it may concern

Initial Type – Testing Report for EC Declaration of Conformity for Garage Door : 0402 – CPD – 40 22 02

SP Swedish National Testing and Research Institute has as Notified Body no. 0402, performed Initial type – testing of the products mentioned below, and the report may be used as support for an EC Declaration of Conformity according to the requirements in the harmonized standard EN 13 241-1:2003.

Issued for Manufacturer / Factory

Product name and description
Garage door type

Initial Type – Testing Report for EC Declaration of Conformity for Industrial Door : 0402 – CPD – 40 70 02

SP Swedish National Testing and Research Institute has as Notified Body no. 0402, performed Initial type – testing of the products mentioned below, and the report may be used as support for an EC Declaration of Conformity according to the requirements in the harmonized standard EN 13 241-1:2003.

Issued for Manufacturer / Factory

Product name and description
Industrial door type :

SP Technical Research Institute of Sweden
Building Technology and Mechanics - Solid Mechanics and Structures
Lars Andersson

SP Technical Research Institute of Sweden

Postal address SP Box 857 SE-501 15 Borås SWEDEN

Office location Västeråsen Brinellgatan 4 SE-504 62 Borås

Telephone / Telefax +46 10 516 50 00 +46 33 13 55 02

E-mail / internet info@sp.se www.sp.se

Bank account 5052-275 485 611 SE55 3 Swedbank Handelsbanken SWIFT: HANDSESS IBAN: SE7950000000005054856611

Reg number 556464-6874

VAT number SE556464687401

DE



NEW DESIGN - ANTRA

Safety First

Feeling safe in and around your home is important. Therefore, safety is the prime consideration for the construction and operation of our garage doors.

Your garage door must operate reliably for years and be safe and easy to use. Furthermore our sectional garage doors are self-locking.

Finger protection

All doors in our product range have finger guards as standard.
These guards are a statutory requirement that prevent fingers from being pinched between the panels when opening and closing the door.



Spring-break safety device

Our doors are fitted as standard with a statutory spring-break safety device. This ensures that in unforeseen situations the door cannot suddenly close, which could cause damage or a safety hazard.

Anti-lift device

If your garage door is operated by an electric operator, it is automatically protected by an anti-lift device. The operator protects your door from being lifted by generating resistance when someone tries to open the door by hand.

Burglary protection

Unfortunately, burglary is a common occurrence. Therefore, it's important that your garage door is secure.
The locks on our garage doors are inspected and certified by the foundation for facade element quality - SKG.

The SKG quality mark is an important security aspect.

Safety-edge

Our electrically operated garage doors are equipped as standard with a "force limited"
This ensures that in the event of slight resistance from, for instance, your child or car, the door automatically opens.



NEW DESIGN - UMBRA 9006

DE



HIGH-LINE STUCCO (HLS)

High-Line. Elegant Class

For many people, the High-Line garage door provides the perfect combination of durability, functionality and class.

It is not without reason that the doors from the High-Line series are the most commonly sold doors in our product range. The series offers a wide range of surface structures and profiles, from modern to classical. Your door is made to measure and suppiled in the colour you desire.





DE



HIGH-LINE PLANK WOODGRAIN (HLP-W)

High-Line

For many people, the High-Line garage door provides the perfect combination of durability, functionality and class.

It is not without reason that the doors from the High-Line series are the most commonly sold doors in our product range. The series offers a wide range of surface structures and profiles, from modern to classical. Your door is made to measure and suppiled in the colour you desire.

High-Line (HL)	Woodgrain (W)	Stucco (S)	Smooth (V)
	HLG/W	HLG/S	HLV
	HLP/W		HLP/V
	HLW	HLS	
	HLC		

It is possible to create your own personal High Line garage door, with the different panels availble from the High-Line panel range. Each panel has a unique character, structure and surface texture. In the standard version the door is delivered with a durable white topcoat. Of course, your door can also be delivered in practically any other colour, so that it is in complete harmony with the other doors and windows in your home.

High-Line panel range (HL)

Here you can see the different types of panel which are available in the High-Line panel range. The range consists of four types of panel, combined with three panel surface textures.

SEALS		
	Air (EN 12426) W	Water (12425)
High-Line Series	Class 3	Class 3
HL with Windows	Class 2	Class 2
Wind load (tested in accordance with EN 12424)		
	Up to 2500mm W	Up to 5000mm W
	Class 5	Class 4
HL Cassette	Class 5	Class 3
HL with windows	Class 5	Class 3
Heat insulation (according to EN 12428)		
High-Line Series	U=0,6 W/(m K)$_2$	





HIGH-LINE WOODGRAIN (HLW)



WOOD-LINE STANDARD (WLS)

Wood-Line, from the best ‘wood’


Would you prefer a garage door with an authentic warm wood look? Perhaps you also want a door with the life and easy maintenance of a steel garage door?

The Wood-Line series offers you a wide range of options. From completey classical with cassettes to exclusive and modern. You can hardley tell the Wood-Line panels from panels made of real wood and they give your home a refined, characterful appearance. However, they are as ‘hard’ as steel.

High-Line panel range (HL)


The basis of the Wood-Line garage door, just like the High-Line, is formed by 40mm steel sandwich panels with an insulating, fire-retardant foam core (CFC free). The panels have various wood surface textures and tactile embossment. This gives the door the warm feeling and exclusive appearance of real wood. The extra-thick steel skin guarantees a long life. Moreover, the panels unlike real wood are more or less maintenance free.

Select your wood look from the options palette here. Timeless and smooth or classical and rustic. The choice is yours. We will manufacture your door to the size and style you desire.



SEALS		
	Air (EN 12426) W	Water (12425)
High-Line Series	Class 3	Class 3
HL with Windows	Class 2	Class 2
Wind load (tested in accordance with EN 12424)		
	Up to 2500mm W	Up to 5000mm W
	Class 5	Class 4
HL Cassette	Class 5	Class 3
HL with windows	Class 5	Class 3
Heat insulation (according to EN 12428)		
High-Line Series	U=0,6 W/(m 2K)	





WOOD-LINE (WLP)

DE



DESIGN-LINE UMBRA BLACK

Design-Line. Architectural Statement

Are you looking for a garage door with a special appearance? Consider our Design-Line series. The steel skin of the 40mm thick sandwich panels used in this line is available in various designs: Umbra, Antra and Nature. Each has its own character.

From modern and trendy to natural and timeless. With a Design-Line garage door, you make an architectural statment and add a special touch to you home.

Design-Line Umbra

The pronounced pattern of lines and embossment (microprofiling) of the Design-Line Umbra gives your garage door a striking appearance. The Umbra is available as standard in four colours: RAL-9006, RAL-9007, RAL-9010 (white) and RAL-7016.

Design-Line Antra

The design-Line Antra is finished in an attractive anthracite colour and has an extraordinary texture. It gives the garage door a modern appearance, in perfect keeping with the lastest trends and architectural styles.

Design-Line Umbra

If your looking for a tranquil, natural appearance for your garage, then the nature design offers an alternative to the Wood-Line. The extraordinary silver-coloured surface texture of this design has an irregular pattern division that ensures a fresh and surprisingly natural appearance.




DESIGN-LINE UMBRA 9010 (DLU)

DESIGN-LINE ANTRA (DLA)


Options and Accessories

Our garage doors can be fitted with the options or accessories shown below.

Of course, all of the options and accessories we offer have been extensively tested for functionality and durability.

Simple operation

The garage door can be operated manually or by means of an electric operator. We will be pleased to advise you.



Colour options

As standard, all our doors are supplied with a durable white top coat. If you would prefer another colour, that's not a problem. The range of colours is almost unlimited. We would be pleased to inform you about the extensive range of colours on offer.








Colour-Line Stucco

40mm steel sandwich panels available in stucco with horizontal lining and available in twenty standard colours.

1021	3000	5010	6009	7016
8014	9002	9006	9007	9010
1015	3003	3004	5003	6005
7021	7022	7035	9001	9005







Guide-rail systems, the silent strength

A guide-rail system is used for opening and closing your garage door. Just like your garage door, this system is always made to measure.

The quality and stability of the rail set determines, to a large degree, the life of your overhead door. Therefore, we have consciously chosen to use innovatively constructed rails.

The rail sets are manufactured from high-quality galvanised steel.



SECTIONAL

Garage Doors

NOTES



Unit 2, Carrside Park,
Doncaster, South Yorkshire, DN7 6AZ
0800 612 2127
info@allweatherroofline.com

MADE IN BRITAIN